



	100% cotton	100% polyester	Poly/cotton blends	Elastan	Nylon	Leather	Sublimated Polyester	OekoTex certified	VEGANOK	Temperature	Pressure	Time (sec.)	Peel Carrier
CUT ONLY HEAT TRANSFER VINYL													
Blackboard™	✔	✔	✔					✔	✔	135°C	medium	15	hot/cold
Brick™/Brick™ Glossy	✔	✔	✔					✔	✔	155°C	medium/high	25	cold
Brick™ 600	✔	✔	✔					✔	✔	155°C	medium/high	25	cold
EasyPatterns™	✔	✔	✔					✔	✔	155°C	medium	15	hot/cold
Foil	✔	✔	✔					✔	✔	135°C	medium	15	hot
Glitter	✔	✔	✔					✔	✔	160°C	medium	15	hot/cold
Hi-5	✔	✔	✔	✔				✔	✔	120-150°C	high	5	hot/cold
Holographic	✔	✔	✔					✔	✔	155°C	medium	15	cold
Metal	✔	✔	✔					✔	✔	150°C	medium	10	cold
P.S. Film – EasyWeed™	✔	✔	✔					✔	✔	150°C	medium	15	hot/cold
P.S./EasyWeed™-Adhesive	✔	✔	✔					✔	✔	150°C	medium	5	hot/cold
P.S. Electric – EasyWeed™ Electric	✔	✔	✔					✔	✔	150°C	medium	15	hot/cold
P.S. Film Extra – EasyWeed™ Extra		✔			✔	✔		✔	✔	160°C	medium	15	hot/cold
P.S. Lumen - Glow In The Dark	✔	✔	✔					✔	✔	150°C	medium	15	hot/cold
P.S. Metallic	✔	✔	✔					✔	✔	160°C	medium	15	cold
P.S. Perfor	✔	✔	✔					✔	✔	150°C	medium	15	hot/cold
P.S. Soft	✔	✔	✔	✔				✔	✔	155°C	medium	15	hot
P.S. Stretch – EasyWeed™ Stretch	✔	✔	✔	✔				✔	✔	160°C	medium	20	hot
P.S. Subli LT- EasyWeed™ Sub Block							✔	✔	✔	135°C	medium	15	hot/cold
Sparkle	✔	✔	✔					✔	✔	155°C	medium	15	hot/cold
Stripflock™ Pro	✔	✔	✔					✔	✔	155°C	medium	15	warm
Twinkle	✔	✔	✔					✔	✔	150°C	medium	15	cold
Thermoreflex™ Extra		✔			✔	✔		✔	✔	160°C	medium	5 + 10	warm
Thermoreflex™ Silver	✔	✔	✔					✔	✔	155°C	medium	5 + 10	warm
Thermoreflex™ Color	✔	✔	✔					✔	✔	155°C	medium	5 + 10	warm
Thermoreflex™ 2000	✔	✔	✔					✔	✔	155°C	medium	5 + 10	warm
Vernice	✔	✔	✔					✔	✔	150°C	medium	15	cold
Videoflex™	✔	✔	✔					✔	✔	150°C	medium	15	cold
Videoflex™ PU	✔	✔	✔					✔	✔	150°C	medium	15	cold

Not all garments are created equal. Please test for compatibility on your garment before committing to production.

Oeko-Tex Standard 100 means: This product has been independently lab tested and is Phthalate & Lead Compliant and is safe for application on children's products.

VEGANOK means: This product does not require the use of animal-derived materials.



	100% cotton	100% polyester	Poly/cotton blends	Elastan	Nylon	Leather	Sublimated Polyester	Oeko Tex certified	VEGANOOK	Temperature	Pressure	Time (sec.)	Peel Carrier
PRINTABLE HEAT TRANSFER VINYL													
COLORPRINT™	👕	👕	👕						👕	150°C	medium	15	hot
COLORPRINT™ EXTRA		👕			👕	👕				165°C	medium	15	warm
COLORPRINT™ NEW M	👕	👕	👕						👕	165°C	medium	15	hot
COLORPRINT™ PU	👕	👕	👕					👕	👕	155°C	medium	15	hot
COLORPRINT™ PU EXTRA	👕	👕	👕					👕	👕	155°C	medium	15	hot
HI-5 PRINT	👕	👕	👕					👕	👕	120-150°C	high	5	hot
SOFT PRINT COLOR	👕	👕	👕	👕				👕	👕	155°C	medium	15	hot
SOFT PRINT 3.0 *	👕	👕	👕	👕	*white or light coloured fabrics			👕	👕	155°C	medium	15	hot
CRYSTAL *	👕	👕	👕		*white or light coloured fabrics			👕	👕	150°C	medium	10	cold
SUBLITHIN™ MATT LT							👕	👕	👕	135°C	medium	15	hot
DIGIBRICK™	👕	👕	👕					👕	👕	155°C	medium	25	hot
SPARKLEPRINT™	👕	👕	👕					👕	👕	155°C	medium	15	hot
S-PRINT	👕	👕	👕	👕				👕	👕	120-150°C	medium	5 - 10	hot
JETFLOCK SOLVENT	👕	👕	👕					👕	👕	180°C	medium	15	hot/cold
EASY SUBLI™	👕	👕*	👕		*white or light coloured polyester			👕	👕	155°C	medium	15	hot

BESTFLEX

Best Flex High Tack

Easy weed, ideal for all cutting, especially fine detail and overlaying, easy weeding.

Also available in printable.



cut



cut mirror image



45°C cutting blade

press



155°C press temp.



8-10 sec peel cool to warm



50 PSI medium pressure



warm -cool strip

care



60°C hot wash



iron from back side



Please note these are general guidelines only. Time and temperature may vary between heat presses so please test with your own equipment.